




SL918W / SL916W / SL914W / SL912W / SL812W / SL99W / SL100W SL918G / SL916G / SL914G / SL912G / SL812G / SL99G / SL100G SL918Z / SL916Z / SL914Z / SL912Z / SL812Z / SL99Z / SL100Z



## **TECHNICAL DRAWING**





				В				
		90	100	120	140	160	180	
	80	25			35	45	45	
A	90	25	25	25	35	45	45	С
	100		25	25	35	45	45	






## SL918W / SL916W / SL914W / SL912W / SL812W / SL99W / SL100W SL918G / SL916G / SL914G / SL912G / SL812G / SL99G / SL100G SL918Z / SL916Z / SL914Z / SL912Z / SL812Z / SL99Z / SL100Z

#### **CHARACTERISTICS**

- □ Super-slim shower tray with Slate texture.
- Made with resin, mineral compounds with exterior layers made by thermal fusion of sanitary Gel Coat. Antibacterial treatment certified by ISO-NPG-H+ (high avoidance of hydrolysis). It prevents corrosion of the material by micro-bacterial pathogens. This reduces risk of infection by skin contact.
- □ Made in mould using a casting method that produces anti-slip features.
- Density: Absorption 0.01%. (24-hour immersion).
- Weight and hardness comparable to the synthetic granite used in kitchen counters.
- □ It can be cut with diamond saw.
- □ High-flow drain with grill, coloured or of the same material as the tray, depending on the model.
- □ Height or thickness 3 cm.
- □ Compatible with access ramp.



Mass coloration



Adaptable to all spaces



Large Format



Accessible siphon



Anti-slip



Thickness 3 cm

5-year warranty



Made in Spain



Antibacterial





## SL918W / SL916W / SL914W / SL912W / SL812W / SL99W / SL100W SL918G / SL916G / SL914G / SL912G / SL812G / SL99G / SL100G SL918Z / SL916Z / SL914Z / SL912Z / SL812Z / SL99Z / SL100Z

#### CUSTOM MANUFACTURING

Customizable in width and length. Our customer can provide the schematics at the time of the order to receive the shower tray in their desired size.

- □ They are cut continuous segments with diamond disk (special for tiles)
- Large cuts will reduce the slope and may leave an irregular thickness of the edge.
- The first linear cut is free, the following as well as the special cuts are subject to an extra cost.
- Cuts of less than 4 cm are made on the same side. When they are larger than 4 cm, we can distribute them for the centering of the drain, only at the request of the customer.
- □ At the request of the customer, the cut edges can be polished. production and cutting processes.

DISCLAIMER: There is a tolerance of up to 1 cm due to the production and cutting processes.

	5	
→ 5		5
	5 T	

Maximum cut-out area for intermediate to standard sizes.



Approximate area for special cuts.

### INSTALLATION OPTIONS

	//////	
 	 //////////////////////////////////////	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,

Wedged in the wall

WARNING: To install the flush mount plate, you need a minimum depth of 8 cm in the floor, to be able to install the drainage valve correctly.

Embedded installation

On the floor





## SL918W / SL916W / SL914W / SL912W / SL812W / SL99W / SL100W SL918G / SL916G / SL914G / SL912G / SL812G / SL99G / SL100G SL918Z / SL916Z / SL914Z / SL912Z / SL812Z / SL99Z / SL100Z

#### USE AND MAINTENANCE

- Clean as usual, using plenty of water and making sure that the cleaning product is completely removed.
- $\hfill\square$  Use foam or a soft cloth to cleanse.
- Avoid repeated cleaning using bleach\*, alcohol, acid, nail polish remover, varnish or other abrasive compounds.
- Do not use calcium oxide or hair tint, due to high concentrations in methylene.
- Below is a table of resistance to abrasive products:

Product	5-10 minutes	6 hours	12 hours	24 hours	Cleaning
Detergent bleach*	No stain	No stain	Stain	No stain	Soap and water
Ammonia	No stain	No stain	No stain	No stain	Soap and water
Hydrocloric acid	No stain	Stain	Stain	Stain	Soap and water
Vinegar	No stain	No stain	No stain	No stain	Soap and water
Dishwashing detergent	No stain	No stain	No stain	No stain	Soap and water
Lemon	No stain	No stain	No stain	No stain	Soap and water
Limescale remover	No stain	No stain	No stain	No stain	Soap and water
Hair tint	No stain	Stain	Stain	Stain	Soap and water
Calcium oxide	No stain	Stain	Stain	Stain	Soap and water
Alcohol	No stain	Stain	Stain	Stain	Soap and water
Betadine	No stain	Stain	Stain	Stain	Soap and water
Cillit Bang	No stain	No stain	No stain	No stain	Soap and water
KH7 Grease remover	No stain	No stain	Stain	Stain	Soap and water
DFlash	No stain	No stain	No stain	No stain	Soap and water
Gel	No stain	No stain	No stain	No stain	Soap and water
Shampoo	No stain	No stain	No stain	No stain	Soap and water
Nail polish remover	No stain	No stain	No stain	No stain	Soap and water

\* WARNING: The grid can be damaged.